

On-site Wastewater Management Training Course


Secondary Treatment

Sand Filters, Media Filters and Mound Systems

Centre for Environmental Training 


Sand Filter

- Aerobic treatment provided by trickling primary treated effluent through 600mm - 900mm sand bed (packed bed)
- Biofilm develops on media surface
- In contact with air in pore spaces in media
- Media contained within an impermeable liner
- May be above, partially above, or below ground
- Filter surface may be open or covered

Centre for Environmental Training 

Sand Filter

- Historically gravity fed with intermittent dosing
- Results in uneven distribution and may lead to creeping failure and clogging of media




Source: NSFC

Centre for Environmental Training 


Treatment

- Acquired in a single pass through media
- Effectiveness dependent on hydraulic and organic load
- Hydraulic conductivity determined by media characteristics (particle size distribution)
- Hydraulic load 50L/m²/d
- BOD₅ load 25g/m²/d
- Typically achieves BOD₅/TSS: 20/30mg/L or better

Centre for Environmental Training 


Improved Efficiency

- Pressure dosing for more even distribution
- Small and frequent timed doses



Centre for Environmental Training 


Typical System Configuration




Centre for Environmental Training 


Filter Sand Considerations

- Sand sieved for particle size analysis (PSA)
- Plot histogram and cumulative frequency curve
- Filter sand <3% clay and fine silt (<0.006mm)
- Effective size (ES) (d_{10} - smallest 10% diameter) between 0.25mm and 1.00mm
- Uniformity coefficient (UC) (d_{60}/d_{10}) <4


Centre for Environmental Training 

Sieve Analysis




Centre for Environmental Training 


Histogram



Centre for Environmental Training 

Cumulative Frequency Curve



Centre for Environmental Training 

Bottomless Sand Filter

- Treatment and land application in single footprint




Source: W Cromer

Centre for Environmental Training 


Recirculating Media Filter

- Acquires treatment in several passes
- Higher hydraulic conductivity media – gravel
- Permits higher aerial loading rate



Centre for Environmental Training 

Recirculating Sand Filter



Centre for Environmental Training cet

Sand Filter Construction



Liner

Centre for Environmental Training cet

Sand Filter Construction



Underdrain and gravel bed

Centre for Environmental Training cet

Sand Filter Construction



Filter sand and distribution bed

Centre for Environmental Training cet

Sand Filter Construction



Drilling orifices

Centre for Environmental Training cet

Sand Filter Construction



Distribution manifold

Centre for Environmental Training cet

Testing Distribution System



Uniform squirt height

Centre for Environmental Training



Completed Sand Filter



Centre for Environmental Training



Completed Sand Filter



Centre for Environmental Training



Media Filters

- Variety of alternative filter media used
- Some modify or enhance performance of traditional sands and gravels
- Others are economically viable alternatives
 - Peat
 - Foam
 - Fabric
 - Amended soils

Centre for Environmental Training



Peat Filter



Bioflow modules, Bord na Mona, USA

Centre for Environmental Training



Peat Filter




Peat Biofilter installation, VIC

Centre for Environmental Training



Foam Filter

- Foam filters
- Provide some physical filtration
- Combine porosity and high surface area
- Main function as surface for biofilm growth



Source: Quonics

Centre for Environmental Training cet

Foam Filter



Waterloo Biofilter, Canada

Centre for Environmental Training cet

Fabric Filter




Orenco Advantex fabric filter

Centre for Environmental Training cet

Mound Systems

- Mound Systems are in effect bottomless intermittent sand filters



Source: NSFC

Centre for Environmental Training cet


Mound Systems

- Soil absorption systems
- Elevated above natural soil surface
- Uses suitable fill such as quality sand media
- Pretreated effluent is dosed to the mound
- Overcome site restrictions such as:
 - slowly permeable soils
 - shallow permeable soils over porous bedrock
 - permeable soils with high water table

Centre for Environmental Training cet

Mound Systems

- Developed in 1970s
- Incorporated in Wisconsin Code in 1980s
- Over 30,000 Wisconsin mounds in Wisconsin




Source: Converse 2000

Centre for Environmental Training cet

Wisconsin Mound Systems




Centre for Environmental Training 

Wisconsin Mound Systems


Design considerations:

- Aligned on contour
- Ground suitably prepared
- Appropriate materials and construction
- Sand loading rate – at distribution manifold
- Linear loading rate – across slope
- Basal loading rate – on soil at base of mound

Centre for Environmental Training 

Completed Wisconsin Mound



Source: B. Banens
Centre for Environmental Training 


Completed Wisconsin Mound



Centre for Environmental Training 


Completed Wisconsin Mound



Centre for Environmental Training 

Alternative Vegetation Cover



Centre for Environmental Training 

Treatment Performance of Sand Filters and Mound Systems

	BOD ₅ (% removal)	TSS (% removal)	TN (% removal)	FC (% removal)
Intermittent sand filter / Mound	90-98	90-95	14-50	97-99
Recirculating sand filter	95-99	81-95	45-82	97-99

Source: Crites and Tchobanoglous (1998)


Centre for Environmental Training



Amended Soil Systems

Use soil or alternative media for nutrient reduction

- P-sorption
 - Gypsum amended red mud (by-product of bauxite refining for aluminium)
 - Air-dried Blast Furnace Slag
- N reduction
 - Zeolite



Centre for Environmental Training



Ecomax System, WA



Centre for Environmental Training



Ecomax System, WA



Centre for Environmental Training



Ecomax System, NSW



Centre for Environmental Training



Ecomax System, NSW



Centre for Environmental Training



Ecomax Mound at School, NSW




Centre for Environmental Training 

Amended Ecomax Design




Source: Ecomax NSW

Centre for Environmental Training 

Ecomax Hydraulic Overload



Flat bed limits rainfall runoff and evapotranspiration

Centre for Environmental Training 

References

- Converse, JC & Tyler EJ (2000). Wisconsin Mound Soil Absorption System: Siting, Design and Construction Manual, #15.24, University of Wisconsin-Madison, Small Scale Waste Management Project.

Centre for Environmental Training 

References

- Cromer, WC (2013). Bottomless sand filters: Notes for designers, installers and regulators July 2013. Land application systems for domestic wastewater management. Unpublished report by William C Cromer Pty Ltd, 1 December 2013.
- Whitehead, J & Geary P (2009). Sand Mounds for Effective Domestic Effluent Management, *Water* 36, 1 (pp 27-32).

Centre for Environmental Training 

References

- A guide to installing a sand mound to manage onsite wastewater, WaterNSW, <https://vimeo.com/72859822>



Centre for Environmental Training 