








	Plan Preparation
	 What sort of plan do I require? Plan may comprise: Drawing(s) to show layout of works Commentary as annotated sketches or report Disturbed area <250m²; no formal plan required Disturbed area >250m² and <2,500m² require an ESCP Disturbed area >2,500m² require an SWMP
4	Centre for Environmental Training Cet

















	ESCP or SWMP?
	 Chapter 2 of the Blue Book describes the key differences between an ESCP and SWMP ESCP: Site plan (1:500 or larger) to show Site layout and
	 locations of Best Management Practices (BMPs) Standard Drawings from Blue Book SWMP, in addition, requires:
	 Supporting calculations for sediment basins and structures Details of erosion and sediment controls
10	 Inspection and Test Plans (ITPs), maintenance notes Stabilisation requirements Centre for Environmental Training Cet































































cet	Centr	e tor E	nvironm	ental	raming						
001											
								1.00			
		Using the	e liine Nool	go headag	ne an ESCP o		e Rock Section	and Page 1	iciterrances		
			No	121		le distalied		185			
		5	NO	6	116 363 10	ie i some	STREET &	165	-		
		FOR					-	-			
	Number		IN BAPS						iled plan re		
		ulations r			2				ulations rec		
			go zones				-	Gail			-
		ment for									
		ilised an							-		
	Sud	coile loca	tions								
	w	ate store	-								
		Notes on									
		lainten an									
		abilitatio									
			Drawings				8		ment of Co		
Blue	BookRefe	rence Se	ctice 9.2 (p	9.54			8	lue Book R	eference Se	ctics 3 (p 3	
		_	1			*	111	1000	1.00		
	No	Do es t	ne site inclu	de water	front (ripari	an) orflood p	rone (<2 year A	Riflood lev	vel) land?	185	
4	8		1.1.				- 10 C	1.000			
			session of		-				automatic		
	BookRefr	rence lág	an 46 ja 4				Soil L	oss Class 6	BB Referen	e Section 4	1.4.2[c]
LOW				High	*				-		
-						determine Sc					
						eference Ap	Appendix H				
							xCortableste	a caller			
			K-10				adie Atla ASI				
			D.F				2(p Att) Defau	113			
							dis Atil Delas				
							Table 4.2(p 4.1				
			1		1	1		1	100		









































































	Management of Soils
ſ	 Simple procedure for all works on low erosion hazard sites with >250m² disturbed, where ESCP or SWMP is required: Vegetation protection and retention (cover) Works limitations (disturbance and access areas) Soil handling (topsoil handling and replacement) Stabilisation restrictions Blue Book Chapter 4, Sections 4.1, 4.2 and 4.3, SD 4-1 stockpiles, SD 4-2 replacing topsoil
43	Centre for Environmental Training CBt

